

Military & Rescue Solution



RS-Series

**NOT INTENDED FOR
SALE IN EUROPE**



Military
& Rescue



Police,
Customs



Aviation



Automotive



Construction



Pipeline



Hydraulic



Sanitary

The RS Series is a professional video scope designed for military and emergency relief purposes. It includes waterproof and shock-resistance design, along with a 5" LCD monitor in order to provide clear viewing. The RS-Series allows you to explore anywhere without a fixed cable. The device may comply with an optional wireless anti-jamming transmission to deliver image to the main unit. It supports up to 30 meter transfer range. RS-Series is perfect for home securities, aviation, automotive, construction, HVAC, and more. An optional 2/4-way articulating probe in order to perform panning and tilting up to 260° viewing angles.

Additional features


- Waterproof design for harsh environments
- Shock resistance design to endure 1.5 meter drop test
- Supports digital wireless video transmission (30m)
- 5" TFT LCD Monitor
- Zoom-in / Zoom-out
- Adjustable LED lights
- Photo snap-shot and video recording
- Photo comparison feature, allowing user to examine two photos simultaneously
- Supports TV-Out
- Powered by high capacity rechargeable battery



VELES Enterprises Pty Ltd

Office 3, 683 Pittwater Road
Dee Why NSW Australia 2099
TEL + 61 2 99721930, FAX + 61 2 9982 2211
Enquiries - sales@veles.com.au
Web - www.veles.com.au

Automotive Solutions



ME-Series



ME-Series is designed for automotive testing industrial and roadside assistance. Built-in sun-shade design provides a clear visibility under sunshine. It's perfect for roadside assistance. With optional accessories of 5.5mm or 3.9mm diameter camera probe, it is primarily to check petroleum & diesel engines, cylinder, transmission system, breaking system, suspension systems, air conditioning systems inspection.

Additional features

- Special Sun-shade design providing clear visibility under sunshine.
- 3.5" TFT LCD Monitor
- Zoom-in / Zoom-out
- Adjustable LED lights
- Snapshot and video recording.
- SD card storage.
- Photo comparison
- Supports TV-Out
- Powered by Rechargeable batteries.



FVS-Series



The FVS-Series is specifically designed for automotive industrial inspections. With a silicon body coating, the device prevents water/oil intrusion and for easy cleaning. With optional accessories of 5.5mm or 3.9mm diameter camera probe, primarily to detect petroleum & diesel engines, cylinder, transmission system, breaking system, suspension systems, and air conditioning systems inspections.

Additional features

- 3.5" TFT LCD Monitor
- Zoom-in / Zoom-out
- Adjustable LED lights
- Snapshot and video recording
- SD card storage
- Supports TV-Out

Plumbing & Piping Solutions



FVSK-Series



The FVSK-series sets a new standard for plumbing & piping inspection. The waterproof case design prevents intrusion of water or sewage. The display unit can be attached on cable reel.

Additional features

- Waterproof design for outdoor use
- 3.5" TFT LCD Monitor
- Zoom-in / Zoom-out
- Adjustable LED lights
- Snapshot and video recording
- Photo comparison
- Thumbnail photo searching
- Support TV - Out
- Powered by rechargeable batteries

FVSL-Series



FVSL-Series is on top of the line piping inspection station, includes 1 large 10" monitor, with detachable camera design, allow user to change from standard camera to pan & tilt or self-leveling cameras. Push rod cable is stored in to a robust case to achieve better mobility.

Applies to chimney cleaning, Pipe inspection, pipe location finding. Police & military can use it as a portable surveillance device.

Additional features

- Robust carrying Case
- 10" TFT LCD Monitor
- Self-leveling camera (optional)
- Pan & Tilt camera (optional)
- Camera with Location transmitter (optional)
- Zoom-in / Zoom-out
- Adjustable LED lights
- Snapshot and video recording (max. 32GB Storage room)
- 4 GB SD Card Storage (Max. 32GB)
- Photo comparison
- Supports TV - out function

Wireless Solutions



WE-Series



The WE-Series allows you to explore anywhere without a fixed cable. The device includes a wireless anti-jamming transmission to deliver image to the main unit. It supports up to 50 meter transfer range. WE-Series is perfect for home securities, aviation, automotive, construction, HVAC, and more.

An optional 2/4-way articulating probe in order to perform panning and tilting up to 260° viewing angles.

Additional features

- Supports 2.4GHz wireless protocol
- Supports auto pairing functions
- 3.5" TFT LCD Monitor
- Zoom-in/Zoom-out
- Adjustable LED lights
- Supports snapshot and video recording
- SD card storage
- Photo comparison
- Supports TV-Out
- Photos / Videos can be uploaded to your computers via build-in USB Port



WF-Series



The wireless endoscope has a self-built-in wireless network AP (802.11) transfer video and sound to the Android™, iOS™, Windows™ platforms; sharing images has never been easier.

Various size of camera is available from range 3.9mm to 35mm OD to suit variety of industrial applications; top range model even come with 2.5" LCD display support direct viewings and synchronization images sharing to smart phone platforms. Applies to educations tools; industrial inspection; pipeline inspections; child care monitoring.

Additional features

- Adjustable LED lights.
- Swing Lens design support 90° camera rotation.
- Support video recording and photo snap-shot functions (on device platforms).
- Supports voice recording functions, and two-ways voice conversations.
- Support video signal NTSC / PAL automatic identification and switching signal format.
- Rechargeable battery; support up to 1 hours and 7 days Standby time.
- Transmission distance up to 100 meters (outdoor), 30 meters of (indoor).
- Wireless network securities require password login protection.
- Maximum 3 devices (Phone/Pad/PC) in the same time.
- Support Mac iOS and Android smartphone platform.
- Supports Windows XP / 7
- Working temperature: 0 ~ 55°C

DIY Solution



EZ-Series



The EZ Series is a singular video endoscope. Direct viewing is the only function. It is simple to use and to be applied to all DIY works.

Additional features

- 2.5" TFT LCD Monitor
- Adjustable LED lights function
- Use 4x AA batteries



VIGS-Series




The VIGS Series is an USB type endoscope connected to computer via USB interface. Support photo snapshot and video recording. Pictures and videos can be stored with the included software on the computer. The removable cable design allows user to change to a variety of cables OD & length. The device is an inexpensive solution that can be applied to any inspections.

Additional features

- Supports USB2.0
- Supports Photo snapshot and video recording
- Adjustable LED lights
- Supports USB bus power

Cable ,Lens, Accessories



Front View
Cable

Self-leveling
Cable

Side View
Cable

PAL/NTSC


90°

30°



Outside Diameter	3.9 mm	5.5 mm	5.8 mm	8 mm	10 mm	25 mm	28 mm	30 mm	5.8 mm	5.8 mm
Available lengths:										
1m	*	*	*	*	*	*	*	*	*	*
2m	*	*	*	*	*	*	*	*	*	*
3m	*	*	*	*	*	*	*	*	*	*
5m	*	*	*	*	*	*	*	*	*	*
10m	*	*	*	*	*	*	*	*	*	*
20m	*	*	*	*	*	*	*	*	*	*
30m	*	*	*	*	*	*	*	*	*	*
Available Material:										
Flexible	*	*	*	*	*	*	*	*	*	*
Semi-Rigid	*	*	*	*	*	*	*	*	*	*
Fiber Glass						*	*	*		
Stainless Steel								*		
Available Resolution:										
320x240 QVGA	*	*							*	*
640x480 VGA		*						*		
Available Focus:										
S.F 2-6cm	*	*	*	*	*				*	*
LF 6cm above		*	*	*	*	*	*	*		
Available Infrared:						*	*	*		

Articulation & Rigid Probes



Dual Lens Cable

Telescopic Cable

Articulating Cable

Rigid Type



Outside Diameter	5.8 mm	28mm	4mm	5.8 mm	7.5 mm	7.5 mm	3.95 mm	6 mm
Available lengths:							Available lengths:	
1m	*		*	*		*	7 inch	*
2m	*			*		*	12 inch	*
3m	*			*			17 inch	*
5m	*	1m/4m					22 inch	*
10m	*				8m			
20m	*							
30m								
Available Material:								
Flexible	*		*	*	*	*		
Semi-Rigid	*							
Fiber Glass								
Stainless Steel							*	*
Available Resolutions:								
320x240 QVGA	*		*	*	*	*	*	*
640x480 VGA		*		*	*	*		*
Available Focus:								
S.F 2-4cm	*		*	*	*	*	*	*
LF 6cm above		*		*	*	*		*
Available Infrared:	*							

Cable, Lens, Accessories



Mirror Adapters



- 35° view (=70° viewing angle)
- 45° view (=90° viewing angle)
- 55° view (=110° viewing angle)

Available in 3.9mm, 4mm, 5.5mm, 8mm, 10mm OD cable

Cable Reel



Type A
Handheld Style(Lite)



Type B
Handheld Style(Deluxe)



Type C
Flat Style



Type D
Standing Style



Type E
Multifunctional



Protection corn(PMC)



25PMC
28PMC

Available in 25mm, 28mm OD cable

Lens Cover(PC)



25PC
28PC

Available in 25mm, 28mm OD cable

Magnet



Available in 3.9mm, 4mm, 5.5mm, 8mm, 10mm OD cable

Hook



Guide Ball



Available in 5.5mm, 8mm, 10mm OD cable

Skid Brush



Available in 25mm, 28mm OD cable

Skid Ball



Extension Spiral Cord



Available in 2 & 3m

Remote Transmitter



512Hz Sonde

Pipe Locator



512Hz Receiver

Measurement software kit



Available for RS, ME, PVS, PVS, PVS_L, WE, HS series of Video scope .