


A RELIABLE TOOL

B2K

BAYONET

NSN-No.: 1095-12-637-4842



www.waffentechnik-solingen.de



WAFFENTECHNIK
BORKOTT & EICKHORN
SOLINGEN/GERMANY
STAINLESS STEEL



STRIKING PERFORMANCE



B2K

BAYONET

NSN-No.: 1095-12-637-4842

WAFFENTECHNIK
WESFORT & SOHNE
ECKERHOF 6
57237 SOLINGEN
GERMANY
SUSPENSION STEEL



TECHNICAL DATA B2K

Blade material	440A (DIN 1.4110)
Plastic parts	30 % GFK (fiber glass reinforced polymide)
Total weight	approx. 590 g / 20.8 oz.
Length of knife	approx. 310 mm / 12.2 in.
Length of blade	approx. 185 mm / 7.3 in.
Width of blade	approx. 30 mm / 1.2 in.
Length of knife and scabbard	approx. 340 mm / 13.4 in.
Length of textile wearing device	approx. 345 mm / 13.6 in.
Width of textile wearing device	approx. 60 mm / 2.4 in.



Black color is standard, other colors available only upon special request.

Standard accessories:



Strong 3,6 Bowie blade



Ultra strong
wire cutter



Sapphire
sharpening plate



Water drainage hole



Screwdriver



Wire cutter
stopping bolt

Optional:



"Quick-Release"
textile



Inlay for ID chip



1/2 serrated edge

B2K

BAYONET

NSN-No.: 1095-12-637-4842

Special features:

- strong wire cutter
(also for hardened concertina)
- electrically insulated up to
1,000 Volts*
- fits most assault rifles
- ultra lightweight
- ergonomic design
- NBC-decontaminable
- completely stainless
- strong scabbard spring
- all parts non-reflective
- special military
anti-corrosion coating
on all metal parts
- Textile Wearing System "TTS"
for MOLLE and 2 belt loops
(max.70mm)

* Provided the user follows the
instructions as to dry- and non-
oily conditions, etc.

The B2K bayonet fits:

- HK G 36 - E
- Colt M4 / M16 / AR15
- Diemaco C7 / C8
- FN - FAL / SCAR (long barrel)
- STEYR AUG
- Swiss Arms 550
- Vektor R4 / CR21
- ST Kinetics SAR-21
- and others



Waffentechnik Borkott & Eickhorn GmbH • Wuppertaler Str. 90-94 • 42653 Solingen / Germany
Tel.: +49 / 212 / 2 58 10 0 • Fax: +49 / 212 / 2 58 10 62 • info@waffentechnik-solingen.de • www.waffentechnik-solingen.de